

retco
building systems

retfloor
retco flooring solutions

Products guide 2010-2011



Pardoseli PVC si linoleum PVC si linoleum floors

Sistem: Pardoseli
Grupa: Pardoseli flexibile din PVC
Pardoseli sportive
Producator: LENTEX Polonia
(www.lentex.pl)

RETICO prezinta in Romania, o gama foarte performanta de pardoseli din PVC, reunite sub brandul LENTEX. Pardoselile flexibile pe baza de PVC sunt produse de unul din liderii europeni in domeniu, compania poloneza LENTEX.

Gratie calitatilor tehnice excelente si design-ului de inalta clasa, combinate cu un pret mai mult decat atractiv, produsele LENTEX au devenit o alegere preferata a contractorilor si aplicatorilor, pentru amenajarea cladirilor publice, magazinelor, spitale, scoli, biblioteci, birouri, centre de agrement, hoteluri, restaurante etc.

PARDOSELI VINILICE (PVC)

Lentex ofera o gama complete de pardoseli vinilice, cu proprietati acustice, rezistente la apa si la alunecare, anti-bacteriale, sportive etc., putand fi utilizate atat in zona rezidentiala cat si in zona marilor proiecte.

Gamele de pardoseli din PVC sunt urmatoarele

1. Pardoseli din PVC de uz general ptr. proiecte: se executa intr.-o gama foarte variata de design si dimensiuni, de la finisaj lemnos la design contemporan, sunt pardoseli de inalta performanta rezistente la traffic greu, usor de intretinut cu costuri minore:

- **FLEXAR**

total thickness: **2.0 mm**
wear layer: **0.8 mm**
width: **2 and 4 m**
max. length: **20 mb**
application: **commercial**
EN 685: **34 + 43**
guarantee: **10-years**



- **ORION**

total thickness: **2.2 mm**
wear layer: **0.5 mm**
width: **2, 3 and 4 m**
max. length: **20 mb**
application: **commercial**
EN 685: **33 + 42**
guarantee: **5-years**



- **ORION CHIPS**

total thickness: **2.2 mm**
wear layer: **0.5 mm**
width: **2, 3 and 4 m**
max. length: **20 mb**
application: **commercial**
EN 685: **33 + 42**
guarantee: **5-years**




- **MAGMA PLANET**

total thickness: **2.2 mm**
wear layer: **0.6 mm**
width: **2, 3 and 4 m**
max. length: **20 mb**
application: **commercial**
EN 685: **33 + 42**
guarantee: **5-years**



- **LENTEX SPORT**


total thickness: **4.0 mm**
wear layer: **0.4 mm**
width: **2 m**
max. length: **15 mb**
application: **gym, fitness club**
EN 685: **32 + 41**
guarantee: **5-years**



2. **Pardoseli PVC design:** gama care ofera estetica lemnului combinata cu instalare usoara si intretinere facila si ieftina.

- **BONUS**

total thickness: **1.3 mm**
wear layer: **0.15 mm**
width: **3 and 4 m**
max. length: **30 mb**
application: **residential**
EN 685: **21**
guarantee: **3-years**



- **WALOR PLUS**

total thickness: **2.0 mm**
wear layer: **0.25 mm**
width: **2, 3 and 4 m**
max. length: **25 mb**
application: **residential**
EN 685: **23 + 31**
guarantee: **5-years**



- **MAXIMA**

total thickness: **3.0 mm**
wear layer: **0.20 mm**
width: **2, 3 and 4 m**
max. length: **20 mb**
application: **residential**
EN 685: **22**
guarantee: **3-years**



- **MAXIMA EKO**

total thickness: **2.5 mm**
wear layer: **0.15 mm**
width: **2, 3, 3.5 and 4 m**
max. length: **25 mb**
application: **residential**
EN 685: **21**
guarantee: **3-years**



- **COMPACT**

total thickness: **2.4 mm**
wear layer: **0.25 mm**
width: **3 and 4 m**
max. length: **30 mb**
application: **residential**
EN 685: **23 + 31**
guarantee: **3-years**





RETCO SRL

Address: **TRANSILVANIA OFFICE CENTER,
28 Transilvaniei St., 500209-Brasov,
Romania**

Phone/Fax: **+40/268/417714**

Phone/Fax: **+40/722/338827**

E-mail: **office.retco@retco.ro**

A photograph of a sports court floor, likely a basketball court, with a reddish-brown surface and white and red lines. The text "Products guide 2010-2011" is overlaid in large white letters.

Products guide 2010-2011

DISTRIBUTOR/APLICATOR: